§ 54.1020

§ 54.1020 Appeal service; marking equipment or utensils on appeal; requirements for appeal; certain determinations not appealable.

- (a) Appeal service is a re-evaluation of the compliance of a piece of equipment, portion of a piece of equipment, or utensil to design or fabrication criteria according to the standards prescribed by this subpart.
- (b) Only the original applicant or their representative may request appeal service requesting a reevaluation of the original determination of the design and fabrication of the equipment or utensil for compliance with the standards specified in this subpart.
- (c) Appeal service will not be furnished for:
- (1) A piece of equipment, portion of a piece of equipment, or utensil which has been altered or has undergone a material change since the original service.
- (2) For the purpose of obtaining an up-to-date report or certificate which does not involve a question as to the correctness of the original service for the piece of equipment, portion of a piece of equipment, or utensil.

§54.1021 Request for appeal service.

- (a) Except as otherwise provided in §54.1020, an applicant or their representative may request appeal service when the applicant or their representative disagree with the determination as to compliance with the standard of the piece of equipment, portion of a piece of equipment, or utensil as documented in the applicable report.
- (b) A request for appeal service shall be filed with the Chief, directly or through the design review specialist who performed the original service. The request shall state the reasons for the disagreement with the original determination and may be accompanied by a copy of any previous certificate or report, or any other information which the applicant may have received regarding the piece of equipment, portion of a piece of equipment, or utensil at the time of the original service. Such request may be made orally (including by telephone) or in writing (including by facsimile transmission). If made orally, the Dairy Grading Branch em-

ployee receiving the request may require that it be confirmed in writing.

§54.1022 When request for appeal service may be withdrawn.

A request for appeal service may be withdrawn by the applicant at any time before the appeal service has been performed, upon payment of any expenses already incurred under the regulations by the Branch in connection therewith.

\$54.1023 Denial or withdrawal of appeal service.

A request for appeal service may be rejected or such service may be otherwise denied to or withdrawn from any person in accordance with the procedure set forth in §54.1013(a), if it appears that the person or product involved is not eligible for appeal service under §54.1020, or that the identity of the piece of equipment, portion of a piece of equipment, or utensil has been lost; or for any of the causes set forth in §54.1032.

$\S 54.1024$ Who shall perform appeal service.

Appeal service for equipment or utensils shall be performed by the Chief or a design review specialist designated by the Chief. No design review specialist may perform appeal service for any piece of equipment, portion of a piece of equipment or utensil for which the original design review specialist performed the initial evaluation service.

§54.1025 Appeal reports.

After appeal service has been performed for any piece of equipment, portion of a piece of equipment or utensils, an official report shall be prepared, signed, and issued referring specifically to the original report and stating the determination of the reevaluation of compliance of the piece of equipment, portion of a piece of equipment or utensil.

§54.1026 Superseded reports.

The appeal report shall supersede the original report which, thereupon, shall become null and void for all or a portion of the report pertaining to the appeal service and shall not thereafter be